







NOTES:
 1. RAMSHIELD® W-BEAM LOW DEFLECTION TO BE CONSTRUCTED IN ACCORDANCE WITH SAFE DIRECTION ASSEMBLY DRAWING SD-RB-14000.

REVISIONS			DATE	APPV'D
REV.	ZONE	DESCRIPTION		
A		Initial Issue	10/07/2024	HW




MATERIAL:			 SafeDirection CRASH BARRIER SOLUTIONS	TITLE: Road Barriers - RamShield® W-Beam RamShield® W-Beam Low Deflection, 2m Ctrs, 1660 Posts with Biker-Shield™ General Arrangement			
FINISH:				<small>COPYRIGHT: All rights reserved. ABN: 53 156 459 684 These drawings, plans and specifications and the copyright therein are the properties of Safe Direction Pty Ltd, and must not be used, reproduced or copied wholly or in part without written permission.</small>	DWG NO.	REVISION: SHEET SIZE	
STATUS	NAME	DATE	<small>U.N.O: TOLERANCES: ±1mm ALL DIMENSIONS ARE IN: mm</small>  THIRD ANGLE PROJECTION	SD-RB-14006		A	A4
DRAWN	W. Refahi	24/06/2024		WEIGHT: 345.8kg	DO NOT SCALE DRAWING	SCALE: 1:25	SHEET 1 of 3
CHK'D	T. Colquhoun	24/06/2024		APPROVED			
APPV'D	H. Wallace	24/06/2024		STATUS:			

BOM				
ITEM NO.	PART NUMBER	DESCRIPTION	Weight kg	NOTES
1	SD-RB-14000	RamShield® W-Beam Low Deflection, 2m Ctrs, 1660 Posts	262.3	(1)
2	GR-MP-BR-0586-AG	Biker-Shield™ Mounting Bracket	2.2	
3	GR-MP-SR-4000-AG	Biker-Shield™ Beam, 4m NLL	21.1	
4	GR-MP-FS-0000-AG	Plate Washer	0.2	
5	GR-FS-16-0050-MZ	M16x50 Mushroom Head POST Bolt Class 4.6 HDG	0.1	
6	GR-FS-16-0000-HG	M16 Hex Nut, 32A/F Oversize, Deep, Class 8, HDG	0.10	
7	GR-FS-16-0032-MG	M16x32 Mushroom Head SPLICE Bolt & Oversize Nut Assy CL8.8	0.2	




BIKER-SHIELD ISOMETRIC EXPLODED VIEW

NOTES:
 1. RAMSHIELD® W-BEAM LOW DEFLECTION TO BE CONSTRUCTED IN ACCORDANCE WITH SAFE DIRECTION ASSEMBLY DRAWING SD-RB-14000.

MATERIAL:		 SafeDirection CRASH BARRIER SOLUTIONS	TITLE: Road Barriers - RamShield® W-Beam RamShield® W-Beam Low Deflection, 2m Ctrs, 1660 Posts with Biker-Shield™ General Arrangement		
FINISH:			<small>COPYRIGHT. All rights reserved. ABN: 53 156 459 684 These drawings, plans and specifications and the copyright therein are the properties of Safe Direction Pty Ltd, and must not be used, reproduced or copied wholly or in part without written permission.</small>	DWG NO. SD-RB-14006	REVISION: A
STATUS	NAME	DATE	<small>U.N.O. TOLERANCES: ±1mm ALL DIMENSIONS ARE IN: mm</small>		
DRAWN	W. Refahi	24/06/2024	 APPROVED		
CHK'D	T. Colquhoun	24/06/2024			
APPV'D	H. Wallace	24/06/2024			
WEIGHT: 345.8kg			<small>DO NOT SCALE DRAWING</small>	SCALE: 1:20	SHEET 2 of 3

NOTES:

1. RAMSHIELD® W-BEAM LOW DEFLECTION TO BE CONSTRUCTED IN ACCORDANCE WITH SAFE DIRECTION ASSEMBLY DRAWING SD-RB-14000.



ISOMETRIC VIEW

MATERIAL:			 SafeDirection CRASH BARRIER SOLUTIONS	TITLE: Road Barriers - RamShield® W-Beam RamShield® W-Beam Low Deflection, 2m Ctrs, 1660 Posts with Biker-Shield™ General Arrangement			
FINISH:				<small>COPYRIGHT: All rights reserved. ABN: 53 156 459 684 These drawings, plans and specifications and the copyright therein are the properties of Safe Direction Pty Ltd, and must not be used, reproduced or copied wholly or in part without written permission.</small>	DWG NO:	REVISION:	SHEET SIZE:
STATUS	NAME	DATE	<small>U.N.O: TOLARANCES: ±1mm ALL DIMENSIONS ARE IN: mm</small>	SD-RB-14006		A	A4
DRAWN	W. Refahi	24/06/2024	<small>THIRD ANGLE PROJECTION</small>	WEIGHT: 345.8kg		DO NOT SCALE DRAWING	SCALE: 1:15
CHK'D	T. Colquhoun	24/06/2024		APPROVED		SHEET 3 of 3	
APPV'D	H. Wallace	24/06/2024		STATUS:			